

artos[®]

F910-12

INSTALLATION GUIDE

umbrella drain with overflow

BRUSHED NICKEL(BN)



CHROME(CH)



artos[®]

F910-12

OPERATING SPECIFICATIONS

umbrella drain with overflow



FEATURES

Push-Pop Up Drain
Brass

APPROVALS




artos[®]

F910-12

PRODUCT DIMENSIONS

umbrella drain with overflow




artos[®]


F910-12

umbrella drain with overflow


STEP 1



STEP 2




STEP 3




TIGHTEN SECURING NUT SO IT IS
FLUSH WITH BOTTOM OF SINK

CONNECT TO P-TRAP

STEP 4




ADJUSTMENTS



umbrella drain with overflow

- ① **UMBRELLA PUSH BUTTON** F910-12 XP1
- ② **UMBRELLA PUSH BUTTON SEAL** F910-12 XP2
- ③ **ADJUSTMENT STEM** F910-12 XP3
- ④ **SPRING** F910-12 XP4
- ⑤ **DRAIN BODY** F910-12 XP5
- ⑥ **TOP DRAIN GASKET** F910-12 XP6
- ⑦ **UNDERNEATH DRAIN GASKET** F910-12 XP7
- ⑧ **PLASTIC DRAIN WASHER** F910-12 XP8
- ⑨ **SECURING NUT** F910-12 XP9
- ⑩ **DRAIN/ P-TRAP CONNECTION GASKET** F910-12 XP10
- ⑪ **DRAIN/ P-TRAP CONNECTION** F910-12 XP11
- ⑫ **DRAIN/ P-TRAP CONNECTION SECURING NUT** F910-12 XP12



artos[®]

F910-12

CARE & MAINTENANCE

umbrella drain with overflow

For best results, keep the following in mind to retain the high quality finish of your artos[®] faucets:

- Use a soft, dampened sponge or cloth. On no account should you use an abrasive material such as a brush, scouring pad or steel wool to clean surfaces.
- Test your cleaning agent solution on an inconspicuous area before applying to the entire faucet.
- Wipe surfaces clean and rinse completely with water immediately after applying cleaning agent.
- An ideal cleaning technique is to rinse faucet thoroughly and blot dry any water from the surface after each use.

LIMITED LIFETIME WARRANTY

artos[®] faucets are guaranteed for life against leaks and finishing defects for as long as the original purchaser owns it.

Damage caused by accident, misuse, abuse, improper installation, improper cleaning or alteration will void the warranty. This warranty does not cover replacement parts where damage is caused by normal wear and tear. Westover, Inc is not responsible for labor charges, installation or other incidental or consequential costs. Proof of purchase must be provided with all claims.

Please register this product online at WWW.ARTOS.US.COM

ITEM NO. **F910-12**
SERIAL NO.